



“...Let us run with patience the race that is set before us.” Hebrews 12:1

A www.insidetrack.com Reprint

by Eric S. Hadik

2005: Initial Culmination:

Earth Cycles Powerfully Corroborated

“...then if anyone hears the trumpet but does not take warning and the sword comes and takes his life, his blood will be on his own head.

...If he had taken the warning, he would have saved himself. But if the watchman sees the sword coming and does not blow the trumpet to warn the people and the sword comes and takes the life of one of them...I will hold the watchman accountable...”

Ezekiel 33: 4 - 6

Nation will rise against nation, and kingdom against kingdom. There will be famines and earthquakes in various places. All these are the beginning of birth pains.

*Matthew 24: 7-8
(New Int'l Vers. ©1986)*

12-30-04 - Events like the recent December 26th 9.0 earthquake in Indonesia spur a lot of requests for reprints and updates to my earth-disturbance cycles. As reiterated to readers throughout the past year, late-2004 into and through 2005 was when the first of two major surges in earthquake & volcano cycles occurs.

The devastating & sobering earthquake - and resulting tsunami - of this past week give powerful validation & corroboration to this analysis. This massive and deadly quake occurred on the exact 1-year anniversary of the most deadly earthquake of 2003 - the December 26, 2003, 6.7 Iranian (Bam) earthquake that killed 26,000+. (This is an intriguing parallel to the Jan. 17, 1994 Northridge, CA & Jan. 17, 1995 Kobe, Japan earthquakes that also struck exactly 1 year/360 degrees apart. Time is VERY geometric, particularly in earth cycles.)

Reinforcing the cyclic & geometric nature of these events, the 2003 Iranian quake came almost exactly 180 days/degrees from a 6.0 quake in the same region that killed 500 people on June 22, 2003.

The recent Indonesian quake came 45 days after a 7.3 ‘precursor’ quake hit Indonesia, 30 days from a 7.1 quake

in Indonesia AND exactly 90 days from seismic activity on this side of the globe, when a 6.0 quake struck C. California as Mt. St. Helens began to erupt - both in late-September, 2004. Whether these N. American ones have any relationship is debatable, but it is similar to the geometric sequence of quakes listed in the next column.

This Indonesian quake also came at the 11-month & 5-month anniversaries of other 7.0+ quakes in Indonesia from earlier this year. 2004 began with a swarm of major Indonesian earthquakes between January 28 - February 7th (3 quakes ranging from 6.7 to 7.3) and has ended with an even greater swarm of deadly quakes.

The 9.0 quake came exactly 180 degrees after another swarm of quakes described in this 6/30/04 quote discussing precursor quakes (those that arrive in multiples of 90, 180 or 360 degrees/days before larger ones) that were anticipated in June/July:

“For several years, I have focused on 2004 - 2005 as the time for the next increase in earth instability. The decrease in overall activity in recent years has set the stage nicely for this next phase. Ultimately, earth-related cycles show that the frequency and intensity of global earthquakes and volcanoes should increase into 2007 - 2008. As stated on May 28th:

“This time frame is almost upon us and warrants re-examination & close scrutiny. June/July 2004 actually ushers in this period and should see some precursor earth ‘movement’.”

It didn't take long as multiple major earthquakes struck around the globe in the days that followed (2 of these came within 24 hours of publication). A 6.6 struck Japan and a 6.4 struck Iran, followed by a pair of 6.3 quakes near Australia and a 6.3 in Russia in the days that followed. The month of June is also ending with a small flurry of 6.0+ quakes, the latest of which just hit off the coast of Costa Rica.

...I do not really expect a dramatic & sustained increase in quakes & volcanoes to take hold until later this year...” 6/30/04 (Emphasis added)

This latest earthquake came a little *before* - and could be a harbinger of more seismic trouble *during* - the next occurrence of a unique sequence of earthquakes in Asia and

the Americas. The table above is one that was originally published in 1996 and then again in 1999 & 2000. It has been updated to include the seismic activity of recent years.

This table shows a repeating 180/360 degree progression of earthquakes in January & July of successive years. Mid-January 2005 is the next danger period.

A primary reason why a MAJOR earthquake was projected for late-2004 - leading into the convergence of multi-century cycles in 2005 - 2008 - was the 14 & 28-year cycle (similar to the war cycles that converged in late-2001) of massive and deadly earthquakes since the 1906 San Francisco earthquake. (1935 is added since the Pakistan quake was one of the deadliest in 1900's.) This sequence now looks like this:

This earthquake dovetails with our ongoing discussion on increased seismicity during periods of climate transition & reiterates a principle regarding converging peaks in a narrow window of time. As explained for several months, my analysis concludes that many long-term cycles portend an initial peak in 'global warming' during the next 1-3 years (meaning that we have *already entered* the transition period) and at least a 3-5 year period of global cooling as the 100-year cycle begins to turn down around 2005.

This is expected to be a precursor to a longer-term peak and downturn in the 1,000 year warming/cooling cycle that should occur between 2000 & 2025. So, considering that the transition time occurs on either side of the anticipated peak, we have entered this volatile time on multiple levels.

The early part of the last century was very similar. Climate cycles were transitioning - with a peak in the 100-year warming/cooling cycle - and the earth experienced a shaky and deadly time frame. A 7-year period - from 1902 - 1908 - saw 9 MAJOR earthquakes and volcanoes - killing about 200,000 (known & documented) humans. A similar period has just begun.

Sunspot cycle increases - which also coincide with climate cooling AND increased seismic activity - should begin by 2006, as well. A trio of celestial explosions - discussed in recent issues of IT - preceded this recent earthly 'explosion' by 90 degrees in time.

January/July (Americas/Asia) Earth Cycle

July 12, 1992...The third in a series of Yucca Valley, CA earthquakes with a 7.0+ magnitude.

July 15-16, 1992...Second eruption of Mt. Pinatubo

January 15, 1993...5.7 magnitude quake in Gilroy, CA

January 16, 1993...7.5 magnitude quake in N. Japan

July 12, 1993...7.8 magnitude quake in N. Japan.

January 17, 1994...6.6 mag. quake in Northridge, CA

July 31, 1994...6.4 magnitude quake in N. Japan

January 17, 1995...6.8 earthquake in Kobe, Japan

July 3, 1995...5.6 magnitude quake struck Tokyo

January 7, 1997...7.3 magnitude quake struck Mexico

January 17, 1997...Mt. Merapi (Indonesia) erupts

January 17, 1997...6.1 quake in Indonesia

January 17, 1997...6.3 quake in S. Japan, near Kobe

January 21, 1997...6.3 AND 6.4 quakes in W. China

January 25, 1999...5.8 quake in Columbia

July 11, 1999...6.6 magnitude quake in Honduras

January 14, 2000...5.6 AND 5.2 quakes in China

July 1 - 30, 2000... 9 quakes (5.4-6.4) in Honshu, Japan

July 5 - 24, 2000... 6 quakes (5.4-5.9) in Indonesia

January 13, 2001... 7.7 quake El Salvador

January 16-18, 2001... 6 quakes (5.5-6.7) in Indonesia

January 26, 2001... 7.7 quake in India

July 13, 2001... Mt. Mayon (Philippines) & Mt. Etna erupt

July 3 - 24, 2001... 6 quakes (5.5-7.2 in Peru, Chile & Bolivia) hit S. America

January 22, 2003... 7.6 quake in Colima, Mexico

July 21, 2003... 6.0 quake in Yunnan, China

www.insiidetrack.com

All of these factors and cycles reinforce analysis I have repeatedly published for over 10 years - that earthquake/volcano/tsunami cycles would see surges in late-2004 through 2005 and again in 2007-2008. In other words, by my calculations we just entered a VERY shaky and unstable period.

Next to 5768 (the Jewish year that spans Sept. 2007 - Sept. 2008), 5765 - the current Jewish year - is the most significant with respect to earth disturbance,

war/peace and political upheaval cycles.

[Note: Many readers - often newer ones - assume I am Jewish, creating a bias for Jewish dating. I am not Jewish but do believe this calendar is more accurate in identifying & connecting longer-term cycles. A perfect example is the 30-year (geometric) cycle between the Dec. 1917 liberation of Jerusalem and the May 1948 statehood of Israel. It spanned 31 years on a Gregorian calendar but only 30 on a Jewish one (ramifications

14/28 Year Major/Deadly Earthquake Cycle

1906 -	8.2 quake in San Francisco	3,000
	8.8 quake near Ecuador	1,000
	7.1 quake - Taiwan	1,300
	8.2 quake - Chile	20,000
1920 -	8.6 quake - Kansu, China	200,000+ ¹
1934 -	8.1 quake - India	10,700
1935 -	7.5 quake - Pakistan	40,000
	7.1/6.5 quakes - Taiwan	6,000
1948 -	7.3 quake - Turkmenistan	12,000
	7.3 quake - Japan	5,400
1962 -	7.3 quake - Iran	12,200
1976 -	7.5 quake - Guatemala	22,000
	7.6 quake - China	255,000+
	7.3 quake - Turkey	4,000
	7.9 quake - Philippines	8,000
	7.1 quake - New Guinea	5,000+ ²
	6.5 quake - Italy	1,000
1990 -	7.7 quake - Iran	50,000
	7.8 quake - Philippines	1,600
2004 -	9.0 quake - Indonesia	110,000+

1 - Estimates run as high as 655,000 dead
2 - 5,000 - 9,000 missing; presumed dead

discussed previously). Since this calendar also 'pre-dates' the Gregorian calendar by more than a thousand years, I give it a little more credibility.]

The period we just entered - with a bang - was also discussed in this July 29, 2004 analysis under the heading of 'Shake, Rattle & Roll':

"Throughout the last 10 years, I have outlined many of the longer-term earth-disturbance cycles that converge in 2005 - 2008...I want to hone in on a more contemporary cycle that involves Gann's Grand Cycle of 60 years. This geometric measurement is also roughly the length of the average human life (60-70 years). As such, it represents a generation of life.

There could be reasons - within the earth and atmosphere - why this is so...

When measuring earthquakes of magnitude 7.0 or greater (what would be termed 'Major' earthquakes) during the past 100+ years, the period with the greatest number of these earthquakes falls between 1945 and 1950 (a 6-year period).

It is of interest that this small window of time also incorporates the last World War, the birth of the European Union and the statehood of Israel - an event that was Biblically prophesied over 2,000 years ago. This 6-year period was a time of instability and massive change - above and below the earth's surface. The earth worked for 6 years & then rested...

60 years later - in 2005 - 2010 - I expect to see a strong resurgence of earthquake & volcanic activity (and great change above and below the earth's surface)...this incorporates a myriad of longer-term cycles - some of them hundreds of years in duration. It is not just the 60-year cycle, but rather the synergy of so many diverse cycles, that pinpoints this time frame and creates these expectations."

7/29/04 (Emphasis added)

The cyclic importance of late-2004 was also elaborated - along with its link to earthquake and war cycles in 2001 - with the following 8/31/04 analysis:

"Much of my longer-term cycle work centers around two types of events. One is natural (earth disturbances, etc.) and the other man-made (war/peace cycle w/related political events)...the period of 2005 - 2010 - and in particular 2007 - 2008 - possesses great synergy of converging cycles related to earthquakes & volcanoes.

A marked increase in major (7.0 magnitude or greater) earthquake activity and the eruption of major volcanoes are expected during this period... The year 2001 began with a large concentration of major earthquakes, including 9 of magnitude 6.6 to 7.4 in the first 60 days of the year. In this period, there were 7 earthquakes of magnitude 7.0 or greater...The reason for discussing events in 2001 is because they were - and still are - expected to be precursors to 2007 - 2008. In the middle of that 7-year cycle falls the period of late-2004 into early-2005." 8/31/04 (Emphasis added)

It is important to revisit some of these discussions at times like these. Why? First, earthquake & tsunami activity - like that which was just seen - powerfully validates what has been expected and discussed for many years leading into this period. It is not a case of

suddenly bringing up a new subject now.

Second - and it is scary to even think this way - but the recent activity is more likely to be the *beginning* and not the *end*. For 10 years, the period of late-2004 into 2005 has been expected to usher in a 3-4 year period (into 2008) and a 7-8 year period (into 2012) of *massive* earth disturbances. If this is just the onset of these cycles, it is sobering to contemplate what could follow in the coming years.

Other unprecedented (at least in recent history) earth events are very likely in the coming years... if not in 2005. This could take the form of massive volcano eruptions, major earthquakes in more populous areas and/or more off-shore earthquakes with resulting tsunamis. This is NOT said out of a desire to be sensational... but to 'sound the warning'. I am NOT *wishing* this to happen but merely reporting & repeating what cycles have indicated for many years. I hope I am wrong... *but cycles argue otherwise*.

An intriguing space-exploration (celestial) cycle also reaches fruition during the second half of January 2005. So, next month could be interesting.

Middle East/European Cycles

Late-2004 into 2005 is not just a convergence of earth-disturbance cycles but also - as reiterated for the past several months - an alignment of cycles related to war/peace and to the Middle East. One of the other topics I have discussed for several years is that I believe S. Europe - in particular Spain & Italy - will play a major role in leading Europe forward and spearheading the negotiations for a Middle East peace.

Long-term energy cycles - that peaked in October/November 2004 - are giving an early indication that the Middle East could settle down in the next 6-12 months. Stock index cycles - that head higher from October 25 - 29, 2004 into mid-2005 - corroborate this. Gold & Silver are reinforcing this potential as they confirm cycle highs and are expected to decline into April 2005.

In the context of this discussion - and the prospects for a temporary peace in the Middle East - I have frequently mentioned the King of Spain as a potential key player. However, I might be slightly off in this conclusion. There is another Spanish diplomat who is rapidly consolidating power in Europe and could fill this role. If you are interested, you can visit:

www.worldhistory.com/wiki/j/javier-solana.htm

More on all these discussions in 2005! *IT 12/30/04*

2005: Initial Culmination:

The Parabola...

You will hear of wars and rumors of wars, but see to it that you are not alarmed. Such things must happen, but the end is still to come.

Nation will rise against nation, and kingdom against kingdom. There will be famines and earthquakes in various places.

All these are the beginning of birth pains.

...Now learn this lesson from the fig tree: As soon as its twigs get tender and its leaves come out, you know that summer is near. Even so, when you see all these things, you know that it is near, right at the door.

*Matthew 24: 6-8, 32-33
(New Int'l Vers. ©1986)*

01-31-05 - In sports, it is manifest in various playoffs or March Madness. In the markets, it is known as a blow-off top or bottom. In nature, it is represented by many things - one of which is birth pains (see passage at left). In mathematics and geometry, it is called a parabola and is represented by a steeply ascending curve - leading into a peak (and then a sharp reversal).

The similarity or parallel of all these events is an acceleration of the norm. In each case, this acceleration precedes a major culmination (and often, a reversal) **by a very small amount of time**. However, a great majority of the overall action (amount of games, price movement on a chart, vertical movement on a graph or pain in childbirth) occurs in that small window of time.

This accelerated period is preceded by signs of its coming - first subtle and then more obvious as the acceleration takes hold. Mathematicians measure the angle of ascent, expectant mothers measure the time between - and growing intensity of - contractions and market technicians apply various techniques (specific applications of the 2I MAC are good tools in this regard) to anticipate the onset of this parabola.

This is also the case in climate and earth-disturbance 'events'. The greatest frequency and intensity of these anomalies occur close to the end of a major cycle. This is one of many reasons why the recent acceleration of global warming is more likely a precursor of an impending PEAK, NOT the onset of a multi-century trend. The trend

has been going on for hundreds of years - since the 1600's when the *Little Ice Age* hit its nader - and is now reaching a cyclic extreme - just as it did soon after the year 1,000 AD.

In earth-disturbance events, my cycle work shows that we have entered the accelerated phase but that it will probably not **ULTIMATELY** peak for another 10-15 years. In the interim, things could get hairy... or very shaky... at times.

If I might carry the 'birth pain' analogy a little farther - with regard to earth-disturbance cycles - I have long believed and published that 2005 - 2008 would be a **MAJOR transition** period from an ascending trend to a steeply ascending trend. The same is true with closely-related war/peace cycles.

For any reader that has observed (or experienced) an expectant mother '*going through transition*', you know that the frequency and intensity of birth pains greatly accelerates during and after that fateful period. This signifies two impending extremes...

1 - The amount, frequency and intensity of pain is about to increase substantially... or exponentially.

2 - The long-awaited culmination - and the end of that pain - is near at hand.

In the case of childbirth, this means that a roughly 280-day gestation period is about to culminate with the miraculous birth of a new human. Although discomfort (and ultimately pain) has been steadily increasing for 8-9 months, the actual birth pains (labor) usually only consume the final 24-48 hours... and often just the last 2-8** hours (**2 hours for the very lucky mothers).

So, even in the case of 24+ hour labor, birth pains only consume 1/280th (0.35%) of the overall duration. The end result (in this case, a baby), however, has been steadily developing for the other 99.65% of the time.

The same is true of market trends that might move 10-15% of their overall price advance (or decline) in the first 90% of time (of the overall trend or move) but then complete the remaining 85-90% of their price move in the final 10% of time.

This principle applies to several *topics* that are continually discussed in INSIIDE Track. **AND**, it applies to *time frames* discussed for the past decade.

1998 was expected to be the initial, *subtle* labor pain.

2001 was expected to be the first *painful* labor pain, with the resumption of war and a surprise attack possible. And, 2005 - 2008 was/is expected to be the transition period - when the frequency and intensity of war cycles, earth-disturbance events, drought/flood cycles, political upheaval cycles and market trends and reversals (*volatility*) greatly increases.

2005 & 2007/2008 are expected to represent two surges and peaks that might - in retrospect - be lumped together as a single 3-4 year period of major change. This is the culmination of the **FIRST** stage of 'labor'.

2010-2012 is the next expected peak and ultimately 2016/2017 should be another (possibly culminating) one. Overall, 2008 - 2017 represents the second stage of 'labor', when the frequency and intensity of events increases exponentially. One reason for laying out this projected scenario is so that the passing of a particular 'peak' is not mistakenly viewed as a final culmination, when it is really just one part of a series.

As with market trends and labor pains, one challenge is to be able to identify the subtle changes in this overall acceleration (as market moves and birth pains all blur together into one seemingly unending - but yet relatively short - intense event). Another similarity to market trends is the general mindset during the latter stages of these parabolic moves. As it is accurately stated, the public is always most bullish at a market top and most bearish at a market bottom. Apparently, the same is true at climatological extremes...

As we go through the final 5-25 years of a 1,000-year climate cycle (peak in warming due between 2000-2025) and exit the final years of a 100-year cycle (the warmest point, due around 2005), *Chicken Little* and her band of scorched-earth advocates are now telling us how this warming trend is bound to continue for centuries to come... and that mankind and Western, industrialized society are almost entirely to blame.

Don't get me wrong... We should still have *some* extreme warming in store for a few more years. **BUT, IT IS CYLICAL!!** We are even more likely to see what has already materialized - wider *swings* in temperature extremes (*volatility*). This means that both warming **AND** **COOLING** extremes are being seen.

The upper midwest is a perfect example. This past May was one for the record books (at least the past 125 years of records), with regard to **COLD** temperatures. Then, September was one of the warmest on record, follow-

ing a very mild (cool) August. Christmas week set some record *lows* as well... while January 12th saw some unusually *warm* temps (above 60 degrees).

Another example is the hurricane season of 2004. As Florida was hit with a record number of named storms making landfall, *C.L. & Co.* were trying to find a way to blame this on global warming & the evil U.S. However, already published works had intimated that this is more likely *during cooling periods*. So, if we are indeed at a major turning point, this type of activity is also likely to increase in the coming years.

[It was only 10-30 years ago - in 1975 - 1994 - when environmental 'experts', including *Time Magazine*, warned about global cooling and how a new *Ice Age* could be upon us. If there was evidence to suggest a long-term cooling trend only 11 years ago, how is that same evidence suddenly showing a 250-year warming trend that should continue for centuries to come?]

The point is that *volatility - and opposing extremes* - are more likely to be seen in the coming years than is a constant warming of the globe. And, if my earth-disturbance cycles continue to be as accurate as they have been in recent years, we could see some MAJOR volcanic eruptions - between now and 2008 - that also produce regional or semi-global cooling.

As diverse scientists noted in the early-1990's, another couple eruptions like Mt. Pinatubo & Mt. Unzen would reverse global warming for decades.

2006 is 190 years - 10 times the lunar-related, 19-Year *Cycle of Time* - from 1816, when Mt. Tambora created '*The Year Without a Summer*'. (2005 is 190 years from the actual eruption in 1815.) This event was exactly 190 years from May 1626 when '*the worst frost in 500 years*' froze lakes & rivers and destroyed crops in Europe. So, 2006 is a *Cycle Progression* and a multiple-*Cycle of Time* convergence for climate.

As a side note, wouldn't it stand to reason that if the Little Ice Age lasted from the 1300's to the 1800's that ensuing temperatures *HAD BETTER BE ON THE RISE!?!?* If not, we would REALLY be in trouble! Putting it on a parallel scale, if I told you in July that temperatures had quadrupled in the past 6 months (from 20 to 80 degrees), you would not bat an eye.

If, conversely, July came and temperatures had NOT risen by 400%, we would all be very alarmed. Of course, I could also try and convince you that the 400% warming

was caused by lawn mowers and gas grills and that we better pass a global treaty that bans people from cooking food or cutting their grass. *Sound familiar?*

Temperatures are still significantly BELOW where they were around the year 1000 (which turned out to be a very prosperous time with an abundance of crops). Diverse evidence - from Canadian timberlines that remain much farther south and European civilizations, waterways and vegetation - all suggest that we are currently NO WHERE NEAR the global warmth seen during the peak of the last 1,000 year cycle. But don't confuse *Chicken Little* with the facts!

Going back to the climate convergence in 2006 - it is also the most likely time for sunspots to increase, which often results in cooling temperatures & increased earthquake/volcano activity on earth. This would usher in the dangerous and shaky 2007/2008 cycle.

As pointed out for the past 7-10 years - and reiterated almost every month in 2004 - we have entered a cyclically unstable period that should initially last into 2008. A 14 & 28-year cycle (very similar to the war cycles that converged in late-2001 and were used since 1998 to project war in August-October 2001) of massive and deadly earthquakes was predicted to usher in this period in late-2004. The 9.0 Indonesian quake of Dec. 2004 provided powerful validation.

The next 3-4 years (at least) could mirror the early part of the last century - when a similar 100-year climate cycle was peaking (warm peak) - and when a 7-year period (from 1902 - 1908) saw 9 MAJOR earthquakes and volcanoes killing hundreds of thousands. We are in a similar period, with the only difference being that an even larger cycle (1,000 years) is also entering the dangerous '*transition period*'.

Traders/individuals - can take 1 of 2 approaches: Panic or Prepare. We are here to do our best in helping you to prepare, *so as not to panic*. As stated on page 1, '*see that you be not alarmed*'. So, hold on tight since these are likely to be exciting times! *IT 01/31/05*